

MATINEE COAT, BONNET, MITTENS AND BOOTEES in Peter Pan D.K.

P.956
Knitted in Peter Pan D.K.
Shade: 300 Pure White

Instructions given for 36 cm. (14 inch) Chest, larger sizes given in round brackets.
Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes	36	41	46	51	cm.
	14	16	18	20	ins.
MATINEE COAT					
Peter Pan D.K. (50g.)	2	2	2	3	Balls
BONNET, MITTENS AND BOOTEES					
Peter Pan D.K. (50g.)	1	1	2	2	Balls
4 - 4 mm. (U.K. 8 - U.S.A. 6) and 2 - 7 mm. (U.K. 2 - U.S.A. 10 $\frac{1}{2}$) Wendy Knitting Needles. Stitch Holders. 3 Buttons for Matinee Coat 69 cm. (27 ins.) narrow Ribbon for Bonnet. 69 cm. (27 ins.) narrow Ribbon for Mittens. 69 cm. (27 ins.) narrow Ribbon for Bootees.					
MATINEE COAT	24	26	28	30	cm.
Length from Back of Neck	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	ins.
Sleeve Seam	11	12.5	15	17	cm.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarns specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the stated tension.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. - Knit; P. - Purl; st(s). - stitch(es); alt. - alternate; beg. - beginning; dec. - decrease; st.st. - stocking stitch (1 row knit, 1 row purl); g.st. - garter stitch (every row knit); inc. - increase; m.1 - make one, pick up loop before next st. and K. it t.b.l.; 0 - no stitches or rows to be worked in that particular size; patt. - pattern; rept. - repeat; sl. - slip; tog. - together; t.b.l. - through back of loop; y.fwd. - yarn forward; y.r.n. - yarn round needle; y.o.n. - yarn over needle; cm. - centimetres ins. - inches.

TENSION

It is important to check your tension before commencing the garment.

22 sts. and 34 rows to 10 cm. (4 ins.) over Lace patt. on 4 mm. Needles.

20 sts. and 24 rows to 10 cm. (4 ins.) over Lace patt. on 7 mm. Needles

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

MATINEE COAT

BACK

Using 4 mm. Needles cast on 67 (73, 79, 85) sts.

** Next Row - Knit.

Commence Patt.

1st Row (Right Side) - K.1, * y.r.n., P.1, P.3 tog., P.1, y.o.n., K.1, rept. from * to end.

2nd Row - Purl.

3rd Row - Knit.

4th Row - Purl.

These 4 rows form the patt.

Continue in patt. until work measures

12 (14, 16, 18) cm. 4 $\frac{3}{4}$ (5 $\frac{1}{2}$, 6 $\frac{1}{4}$, 7) ins. from commencement finishing on a 2nd patt. row.**

Shape Armholes

Keeping patt. correct.

Cast off 3 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of the needle on the next and every following alt. row until 49 (55, 61, 67) sts. remain finishing on a right side row.

Next Row (Dec. Row) - P.4 (3, 2, 1) sts., [P.2 tog.] 21 (25, 29, 33) times, P.3 (2, 1, 0). 28 (30, 32, 34) sts.

Sl. these sts. onto a st. holder.

LEFT FRONT

Using 4 mm. Needles cast on 31 (31, 37, 37) sts.

Work as instructions given for Back from ** to **.

(Work 1 row more for Right Front).

Shape Armhole

Keeping Patt. correct.

Next Row - Cast off 3 sts., patt. to end.

Work 1 row. (Omit this row for Right Front).

Dec. 1 st. at armhole edge on the next and every following alt. row until 22 (22, 28, 28) sts. remain finishing on a right side row.

Next Row - (Dec. Row) - P.1 (4, 0, 1) sts., [P.2 tog.] 10 (9, 14, 13) times, P.1 (0, 0, 1). 12 (13, 14, 15) sts.

Sl. these sts. onto a st. holder.

RIGHT FRONT

Work as instructions given for Left Front.

SLEEVES (Both Alike)

Using 4 mm. Needles cast on 29 (29, 31, 31) sts.

Work 2 rows in g.st.

Next Row (Inc. Row) - K.4, m.1, * K.3 (3, 2, 2), m.1, rept. from * to last 4 (4, 5, 5) sts., K.4 (4, 5, 5).

37 (37, 43, 43) sts.

Commence Patt.

Continue in patt. as given for Back until work measures 11 (12.5, 15, 17) cm. 4 1/4 (5, 6, 6 3/4) ins. from commencement finishing on a 2nd patt. row.

Shape Top

Keeping patt. correct.

Cast off 3 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of the needle on the next and every following alt. row until 19 (19, 25, 25) sts. remain finishing on a wrong side row.

Sl. these sts. onto a st. holder.

LEFT FRONT BAND

*** Using 4 mm. Needles cast on 5 sts.

Continue in g.st. (2nd row is Right Side) until band is long enough when slightly stretched to fit up Left Front finishing on a wrong side row.***

Sl. these sts. onto a st. holder.

RIGHT FRONT BAND

Work as instructions given for Left Front Band from *** to ***.

Leave these sts. on a needle.

YOKE

With right side facing, using 4 mm. Needles, K.5 sts. from Right Front Band, 12 (13, 14, 15) sts. from st. holder at Right Front, 19 (19, 25, 25) sts. from Sleeve, 28 (30, 32, 34) sts. from Back, 19 (19, 25, 25) sts. from Sleeve, 12 (13, 14, 15) sts. from Left Front and 5 sts. from Left Front Band. 100 (104, 120, 124) sts.

**** 1st Row - Knit.

2nd Row (Buttonhole Row) - K.2, y.fwd., K.2 tog., K. to end.

3rd Row - K.5, P. to last 5 sts., K.5.

4th Row (Dec Row) - K.9 (6, 9, 6), * K.2 tog., K.6 (7, 8, 9), rept. from * to last 11 (8, 11, 8) sts., K.2 tog., K.9 (6, 9, 6). 89 (93, 109, 113) sts.

5th, 6th and 7th Rows - Knit.

8th Row - Knit.

9th Row - K.5, P. to last 5 sts., K.5.

10th Row (Buttonhole and Dec. Row) - K.2, y.fwd., K.2 tog., K.5 (2, 5, 2), * K.2 tog., K.5 (6, 7, 8), rept. from * to last 10 (7, 10, 7) sts., K.2 tog., K.8 (5, 8, 5).

78 (82, 98, 102) sts.

11th, 12th and 13th Rows - Knit.

14th and 15th Rows - As 8th and 9th Rows.

16th Row (Dec. Row) - K.8 (5, 8, 5), * K.2 tog., K.4 (5, 6, 7), rept. from * to last 10 (7, 10, 7) sts., K.2 tog., K.8 (5, 8, 5). 67 (71, 87, 91) sts.

17th Row - Knit.

18th Row (Dec. Row) - K.8 (5, 8, 7), * K.2 tog., K.3 (4, 1, 1), rept. from * to last 9 (6, 10, 9) sts., K.2 tog., K.7 (4, 8, 7). 56 (60, 63, 65) sts.

19th Row - Knit.

20th Row (Buttonhole Row) - K.2, y.fwd., K.2 tog., K. to end.

21st Row - K.5, P. to last 5 sts., K.5.

22nd and 23rd Rows - Knit.

Cast off. ****

BONNET

Using 4 mm. Needles cast on 67 (67, 73, 73) sts.

Next Row - Knit.

Commence Patt.

Work 20 rows in patt. as given for Back of Matinee Coat.

Next Row - K.1, * P.1, K.1, rept. from * to end.

Next Row - P.1, * K.1, P.1, rept. from * to end.

Work 5 rows more in rib, dec.1 st. in centre of last row for 36 (46) cm. 14 (18) inch sizes only. 66 (66, 73, 73) sts.

Commence Ridge Patt.

1st Row (Right Side) - Knit.

2nd Row - Purl.

3rd to 6th Rows - Knit.

These 6 rows form the Ridge Patt.

Continue in ridge patt. until work measures 10 (11, 11.5, 12) cm. 4 (4 1/4, 4 1/2, 4 3/4) ins. from commencement of ridge patt. finishing on a wrong side row.

Shape Crown

Keeping ridge patt. correct.

1st Row - K.4, * K.2 tog., K.5, rept. from * to last 6 sts., K.2 tog., K.4.

2nd and Alt. Rows - Patt. to end.

3rd Row - K.3, * K.2 tog., K.4, rept. from * to last 6 sts., K.2 tog., K.4.

5th Row - K.2, * K.2 tog., K.3, rept. from * to last 6 sts., K.2 tog., K.4.

7th Row - K.1, * K.2 tog., K.2, rept. from * to last 2 sts., K.2 tog.

9th Row - * K.2 tog., K.1, rept. from * to last 2 sts., K.2 tog.

11th Row - K.1, [K.2 tog.] 9 (9, 10, 10) times. 10 (10, 11, 11) sts.

Break off yarn leaving enough to thread through remaining sts., draw up tight and fasten off.

MITTENS (Both Alike)

Using 4 mm. Needles cast on 31 sts.

Next Row - Knit.

Commence Patt.

Work 7 rows in patt. as given for Back of Matinee Coat.

Next Row - P.2, [P.2 tog., P.4] 4 times, P.2 tog., P.3. 26 sts.

Next Row (Eyelet holes) - K.2, * y.fwd., K.2 tog., rept. from * to end.

Next Row - Purl.

Commence Ridge Patt.

Work in ridge patt. as given for Bonnet until work measures 5 cm. (2 ins.) from eyelet hole row finishing on a wrong side row.

Shape Top

1st Row - [K.1, K.2 tog., K.7, K.2 tog., K.1] twice.

2nd Row - Patt. to end.

3rd Row - [K.1, K.2 tog., K.5, K.2 tog., K.1] twice.

4th Row - Patt. to end.

5th Row - [K.1, K.2 tog., K.3, K.2 tog., K.1] twice.

6th Row - Patt. to end.

Cast off, dec. as before.

BOOTEES (Both Alike)

Using 4 mm. Needles cast on 31 (31, 37, 37) sts.

Next Row - Knit.

Commence Patt.

Work 12 rows in patt. as given for Back of Matinee Coat, inc. 1 st. at each end of last row for 36 (41) cm. 14 (16) inch sizes only. 33 (33, 37, 37) sts.

Next Row (Eyelet holes) - K.2 (2, 1, 1), * y.fwd., K.2 tog., K.1, rept. from * to last 4 (4, 3, 3) sts., y.fwd., K.2 tog., K.2 (2, 1, 1).

Next Row - Purl.

Shape Instep

Next Row - K.22 (22, 25, 25), turn.

Next Row - P.11 (11, 13, 13) turn.

Working on these 11 (11, 13, 13) sts. only, work 12 rows in st.st. Break off yarn.

With right side facing, rejoin yarn to right side of instep and pick up and K.9 (9, 10, 10) sts. evenly up right side of instep, K.11 (11, 13, 13) sts. of instep, pick up and K.9 (9, 10, 10) sts. down left side of instep and K. a cross remaining 11 (11, 12, 12) sts.

Next Row - P. across all 51 (51, 57, 57) sts.

Work 6 rows in st.st.

Shape Foot

1st Row - K.1, K.2 tog., K.17 (17, 19, 19), K.2 tog. t.b.l., K.7 (7, 9, 9), K.2 tog., K.17 (17, 19, 19), K.2 tog. t.b.l., K.1.

2nd Row - Purl.

3rd Row - K.1, K.2 tog., K.16 (16, 18, 18), K.2 tog. t.b.l., K.5 (5, 7, 7), K.2 tog., K.16 (16, 18, 18), K.2 tog. t.b.l., K.1. 43 (43, 49, 49) sts.

4th Row - Purl.

Cast off.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

MATINEE COAT

Pin front bands into position, sew in by top sewing.

Join side and sleeve seams by top sewing. Pin sleeves in position. Sew in sleeves by top sewing. Sew on Buttons.

BONNET

Commencing at centre of crown, join back seam by top sewing for 5 cm. (2 ins.). Turn back patt. rows to form brim and sew side edges into position. Cut ribbon in half to make a ribbon rosette and sew to each side of Bonnet. Sew a ribbon rose at centre of each rosette as shown on photograph.

MITTENS

Join seam by top sewing. Cut ribbon in half and thread through eyelet holes, bring ends out to front. Tie in a bow.

BOOTEES

Join back and foot seam by top sewing. Cut ribbon in half and thread through eyelet holes, bring ends out to front. Tie in a bow.

Press seams.